

Record Type Equal to '01'

Field Element Number	Field Element	Field Starting Position	Field Ending Position	Field Length	Field Description
2	Condition Code	3	6	4	Shipment Condition Code, an acronym of the condition description to assist in recognition.
3	Effective Date	7	16	10	Date which the record becomes effective. Always is the fifteenth of the month.
4	Expiration Date	17	26	10	Date which the record expires. If this value is equal to '9999-12-31', then this is the most current record for this condition code.
5	Category Type	27	27	1	Used to classify the condition in terms of its use in computerized rating systems.
6	Condition Status	28	28	1	Record Status. (R = Proposed, A = Approved, and P = Production)
7	Condition Title	29	88	60	Short description of the condition.
8	Needed for Rate Application	89	89	1	Yes or No flag, based on information found on the Revenue Waybill (426 transaction set). In order to answer yes, the information required to evaluate the condition must be collected or derived electronically.
9	Needed to Calculate Total Charges	90	90	1	Yes or No flag, based on whether or not the condition code is needed to calculate total freight charges.
10	Plus Usage Indicator	91	91	1	Yes or No flag, based on whether this condition code can be interpreted positively.
11	Minus Usage Indicator	92	92	1	Yes or No flag, based on whether this condition code can be interpreted negatively.
12	Absence Interpretation Indicator	93	93	1	Yes or No flag, based on if the absence of this code can be interpreted.

IRF Shipment Condition File
Layout - 6/13/97

Field Element Number	Field Element	Field Starting Position	Field Ending Position	Field Length	Field Description
13	Condition Index 1	94	123	30	Subject area to search for this condition in an index of all available condition codes. May have up to four occurrences as listed in fields 13 through 16.
14	Condition Index 2	124	153	30	Subject area to search for this condition in an index of all available condition codes. May have up to four occurrences as listed in fields 13 through 16.
15	Condition Index 3	154	183	30	Subject area to search for this condition in an index of all available condition codes. May have up to four occurrences as listed in fields 13 through 16.
16	Condition Index 4	184	213	30	Subject area to search for this condition in an index of all available condition codes. May have up to four occurrences as listed in fields 13 through 16.
17	426 Data Segment	214	273	60	Text definition of the 426 data segment.
18	REN Edit Use	274	274	1	Yes or No flag to determine if this code is edited by REN.
19	REN Edit Data Source	275	279	5	If field #18 is equal to "Y", then this is the IRF to edit against. If this field is equal to "N", then this value is blank.
20	Proposing Origin	280	283	4	Roadmark or initials of the business name of the Proposing Person in field # 21.
21	Proposing Person	284	333	50	Person who proposed the change to the condition code.
22	Proposer Phone	334	343	10	Phone number of the Proposing Person.
23	Proposer Fax	344	353	10	Fax number of the Proposing Person.
24	Date Last Maintained	354	363	10	Date the change to the condition code was made to the electronic file.

IRF Shipment Condition File
Layout - 6/13/97

Field Element Number	Field Element	Field Starting Position	Field Ending Position	Field Length	Field Description
25	Maintainer Userid	364	371	8	Userid of the central site person that made the change to the electronic file.
26	Plus Interpretation	372	556	185	The positive interpretation of the condition code, if applicable.
27	Minus Interpretation	557	741	185	The negative interpretation of the condition code, if applicable.
28	Absence Interpretation	742	926	185	This field is no longer maintained as of the reissue of the Directory in August, 1995. However, it is still present in the electronic file.
29	REN Edit Description	927	1111	185	Text description of what is edited by the REN Edit Data Source (field #19).
30	Condition Text Description	1112	1426	315	Describes the condition in terms that users can readily understand so they may determine if this condition is appropriate for their situation.
31	Dependency Description	1427	1801	375	List of all conditions (if any) that must be used in conduction with the code, as well as a list of any condition which must not be used when this code appears.
32	Business Use	1802	2176	375	The business purpose the condition code tries to address, as well as any restrictions the condition imposes on the price.
33	Recommendation and Comments	2177	2616	440	Text description defining the reason the condition code was changed.
34	Filler	2617	2620	4	Filler.

Record Type Equal to '02'

Field Element Number	Field Element	Field Starting Position	Field Ending Position	Field Length	Field Description
35	Record Type	1	2	2	File layout designator. Accepted values are '01' through '06'. Value determines to which file layout to refer.
36	Condition Code	3	6	4	Shipment Condition Code, an acronym of the condition description to assist in recognition.
37	Effective Date	7	16	10	Date which the record becomes effective. Always is the fifteenth of the month.
38	Expiration Date	17	26	10	Date which the record expires. If this value is equal to '9999-12-31', then this is the most current record for this condition code.
39	TS426 Segment	27	30	4	The 426 Data segment (if any) which provides the necessary information to determine whether or not the condition is satisfied.
40	TS426 Data Element	31	34	4	The data element within the 426 Data segment (if any) which may provide the necessary information to satisfy this condition

Record Type Equal to '03'

41	Record Type	1	2	2	File layout designator. Accepted values are '01' through '06'. Value determines to which file layout to refer.
42	Condition Code	3	6	4	Shipment Condition Code, an acronym of the condition description to assist in recognition.
43	Effective Date	7	16	10	Date which the record becomes effective. Always is the fifteenth of the month.
44	Expiration Date	17	26	10	Date which the record expires. If this value is equal to '9999-12-31', then this is the most current record for this condition code.

IRF Shipment Condition File
Layout - 6/13/97

Field Element Number	Field Element	Field Starting Position	Field Ending Position	Field Length	Field Description
45	Dependency Code	27	30	4	Any other condition code which must be used in conjunction with this Condition Code, or
					alternatively, any other condition code which must not be used in conjunction with this Condition Code.
46	Dependency Usage	31	31	1	If field #45 is stated positively, then this is equal to "+"; otherwise, if field #45 is stated negatively, then this is equal to "-".

Record Type Equal to '04'

47	Record Type	1	2	2	File layout designator. Accepted values are '01' through '06'. Value determines to which file layout to refer.
48	Condition Code	3	6	4	Shipment Condition Code, an acronym of the condition description to assist in recognition.
49	Effective Date	7	16	10	Date which the record becomes effective. Always is the fifteenth of the month.
50	Expiration Date	17	26	10	Date which the record expires. If this value is equal to '9999-12-31', then this is the most current record for this condition code.
51	Value Type	27	27	1	A value of 'V' indicates a Value entry; a value of 'F' indicates a From (or Range F) entry; and, a value of 'T' indicates a To (or Range T) entry.
52	Edit Format	28	30	3	A value of 'A/N' indicates that the Value Type ('V', 'F', or 'T' as indicated in field #52) will contain alphanumeric information, while a value of 'N' indicates that the Value Type contains numeric information.

IRF Shipment Condition File
Layout - 6/13/97

Field Element Number	Field Element	Field Starting Position	Field Ending Position	Field Length	Field Description
53	Field Length	31	34	4	The number of characters allowed, including the number of decimal places. (e.g. 4.2 is four positions to the left of the decimal, the decimal point itself, and 2 positions to the right of the decimal point.)
54	Reference Mark 1	35	38	4	Edit code as listed in Appendix H. May have up to five occurrences as listed in fields 54 through 58.
55	Reference Mark 2	39	42	4	Edit code as listed in Appendix H. May have up to five occurrences as listed in fields 54 through 58.
56	Reference Mark 3	43	46	4	Edit code as listed in Appendix H. May have up to five occurrences as listed in fields 54 through 58.
57	Reference Mark 4	47	50	4	Edit code as listed in Appendix H. May have up to five occurrences as listed in fields 54 through 58.
58	Reference Mark 5	51	54	4	Edit code as listed in Appendix H. May have up to five occurrences as listed in fields 54 through 58.
59	Appendix Usage	55	55	1	Appendix referenced (if any) as noted in the Field Description (field #63)
60	IRF Usage	56	60	5	Industry Reference File (IRF) referenced (if any) as noted in the Field Description (field #63)
61	Absence Interpretation	61	185	125	Interpretation description when this code is not used.
62	Data Source Description	186	310	125	List of any available electronic data sources (other than the 426 waybill) where information to support this condition may be found.

IRF Shipment Condition File
Layout - 6/13/97

Field Element Number	Field Element	Field Starting Position	Field Ending Position	Field Length	Field Description
63	Field Description	311	750	440	Description of the values referenced in fields 59 and 60.

Record Type Equal to '05'

64	Record Type	1	2	2	File layout designator. Accepted values are '01' through '06'. Value determines to which file layout to refer.
65	Condition Code	3	6	4	Shipment Condition Code, an acronym of the condition description to assist in recognition.
66	Effective Date	7	16	10	Date which the record becomes effective. Always is the fifteenth of the month.
67	Expiration Date	17	26	10	Date which the record expires. If this value is equal to '9999-12-31', then this is the most current record for this condition code.
68	Value Type	27	27	1	A value of 'V' indicates a Value entry; a value of 'F' indicates a From (or Range F) entry; and, a value of 'T' indicates a To (or Range T) entry.
69	Valid Entry	28	35	8	Abbreviation of the entry as described in field #70.
70	Valid Entry Description	36	170	135	Allowable entries in the Value Type Field (field # 68)

Record Type Equal to '06'

71	Record Type	1	2	2	File layout designator. Accepted values are '01' through '06'. Value determines to which file layout to refer.
72	Condition Code	3	6	4	Shipment Condition Code, an acronym of the condition description to assist in recognition.
73	Effective Date	7	16	10	Date which the record becomes effective. Always is the fifteenth of the month.

Field Element Number	Field Element	Field Starting Position	Field Ending Position	Field Length	Field Description
74	Expiration Date	17	26	10	Date which the record expires. If this value is equal to '9999-12-31', then this is the most current record for this condition code.
75	Paragraph Number	27	30	4	Number representing the order that the Recommended Text statement (field #78) should be published.
76	Plus/Minus Usage	31	31	1	If field #77 is stated positively, then this is equal to "+"; otherwise, if field #77 is stated negatively, then this is equal to "-".
77	Text Requirement	32	216	185	English text qualifying the text as described in the Recommended Text (field #78).
78	Recommended Text	217	531	315	English text of this condition. If 'Value', 'From', or 'To' fields are used, then insert one 'V', 'F', and 'T' into this text wherever appropriate. All variations of field usage including "+" and "-" interpretations are displayed.

Legal Disclaimer: Any actions taken in reliance on or pursuant to this document are subject to Railinc's Terms of Use, as set forth in <https://public.railinc.com/terms-use>, and all AAR rules.